

# OUTBACK BLEND





# OUR FLOORS

Epoxy flooring is an economical and durable choice for reinventing your outdoor space, whilst protecting your concrete floor. Beware — it does create a lot of envy!

Outdoor epoxy flooring has become a popular option over traditional flooring choices. Designers, Architects & Builders have realised the extraordinary design possibilities, the hygienic and durable functionality and the low maintenance benefits.

Our **Outback Blend** is specifically designed to withstand Australia's harsh outdoor conditions and provide slip resistance commonly associated with residential wet areas such as swimming pools or spas. Frequently used around patios, stairs, walkways or driveways, this finish is easy to maintain and looks stunning.

The selection of earthy tones respects garden vistas, with the final effect of slight shadow mottling mimicking the natural setting.





WALLABY



QUOKKA



TASSIE DEVIL



KELPIE





# OUTBACK BLEND



WALLABY

QUOKKA



# OUTBACK BLEND



TASSIE DEVIL



KELPIE





# OUR PROCESS

We only adopt a few methods, which are labour intensive, but important for the longevity of your floor.

Mostly, we will mechanically diamond grind using various diamond grinders and the appropriate diamond tooling for your floor (as not all concrete is the same). This process removes the top crust (laitance) and opens up the concrete so that the resins we use have something to 'grip' to.

In some cases, we will degrease an area. This is most common in commercial kitchens and automotive areas where, if not properly prepared, the epoxy will not penetrate effectively into the concrete.

On new floors we prefer to use products that do not contain solvents or flammables, so they can be installed safely without risk or disruption to your family. Solvents are classed as low to no Volatile Organic Compounds (VOC). This means that there are no lingering nasty smells that you get with solvent based products.

With most floors, the process usually takes two days. If extensive patching is required, it will take three. An optimal, long lasting finish simply cannot be achieved in one day. At Tough Floors, we do not hasten the process because quality is paramount.

Our extensive database of blogs contains many topics discussing all aspects of epoxy flooring, please visit us at [toughfloors.com.au/blog/](https://toughfloors.com.au/blog/)





# DURABILITY


Epoxy flooring is fit-for-purpose and functional flooring that will last for many years. Added benefits provide protection of your concrete floor from wear, with excellent chemical and abrasion resistance.

The products we use are thoroughly destruct tested. However, as with any flooring type, epoxy is not completely indestructible. As part of our post installation care package, we provide a checklist of what to avoid, so that your floor serves you for many years to come.

Our standard warranty provides 12 month cover for workmanship and product defects.



WE USE SOLVENTLESS EPOXY SYSTEMS,  
WITH NO SMELL DURING OR POST  
INSTALLATION



TOUGH FLOORS TYPICAL EPOXY FLOOR



# NEXT STEPS

Contact us on **1300 882 875** or visit our website [toughfloors.com.au](https://toughfloors.com.au) for further information or to arrange a 'No Surprises' Quote.

During our consultation process, we'll undertake an in depth assessment of your existing floor, ask a lot of questions about how you will be using the area and what kind of finish you prefer, to make sure we recommend the right epoxy flooring specification and finishes to suit.